

Reference & Bibliography

¹WHO Reproductive health, Retrieved 2008-08-19, who.int/reproductivehealth/en/

²Hall K S, Moreau C, Trussell J (2012). Determinants of and Disparities in Reproductive Health Service Use among Adolescent and Young adult Women in the United States, 2002-2008, *American Journal of Public Health*, 102 (2): 359-367.

³Reproductive Health Strategy, Retrieved 2008-07-24, who.int/reproductivehealth/en/

⁴“Sexual Reproductive Health” UN Population Fund, www.unfpa.org/sexual-reproductive-health

Bihar Budget 2019-20, Finance Department, Govt. of Bihar. Retrieved 18 May 2019, finance.bih.nic.in/Reports/Economic-Survey-2019-EN.pdf

India: Health of the Nation's States (2017) The India State-Level Disease Burden Initiative Indian Council of Medical Research, Public Health Foundation of India, Institute for Health Metrics and Evaluation, Disease Burden Trends in the States of India 1990 to 2016.

International Institute for Population Sciences (IIPS) and ICF. 2017. National Family Health Survey (NFHS-4), 2015-16: India. Mumbai: IIPS.

International Institute for Population Sciences (IIPS) and ICF. 2017. National Family Health Survey (NFHS-4), India, 2015-16: Bihar. Mumbai: IIPS.

Ministry of Health and Family Welfare (MoHFW) (2000), National Population Policy 2000, MoHFW, Government of India, New Delhi.

National Health Profile-2018, Central Bureau of Health Intelligence (CBHI) Directorate General of Health Services, Ministry of Health & Family Welfare, Government of India WHO Collaborating Centre on Family of International Classifications (ICD-10, ICF & ICHI).

National Health Policy-2017, Ministry of Health and family Welfare, Government of India, nhp.gov.in/nhpfiles/national_health_policy_2017.pdf