

- [44] L. S. Wallace, J. Buckworth, T. E. Kirby and W. M. Sherman, "Characteristics of exercise behavior among college students: application of social cognitive theory to predicting stage of change". *Prev. Med. (Baltim)*, vol. 31, no. 5, (2000), pp. 494–505.
- [45] M. Hohepa, R. Scragg, G. Schofield, G. S. Kolt and D. Schaaf, "Social support for youth physical activity: Importance of siblings, parents, friends and school support across a segmented school day". *Int. J. Behav. Nutr. Phys. Act.*, vol. 4, no. 1, (2007): 54. <https://doi.org/10.1186/1479-5868-4-54>
- [46] E. Leslie, N. Owen, J. Salmon, A. Bauman, J. F. Sallis and S. K. Lo, "Insufficiently active Australian college students: perceived personal, social, and environmental influences". *Prev. Med. (Baltim)*, vol. 28, no. 1, (1999), pp. 20–27.
- [47] L. F. Berkman, "Social support, social networks, social cohesion and health", *Soc. Work Health Care*, vol. 31, no. 2, (2000), pp. 3–14.
- [48] T. Ståhl, A. Rütten, D. Nutbeam, A. Bauman, L. Kannas, T. Abel, et al., "The importance of the social environment for physically active lifestyle—results from an international study". *Soc. Sci. Med.*, vol. 52, no. 1, (2001), pp. 1–10.