





































- 
- Five Commercial Paraffin Waxes as Latent Heat Storage Materials,” *Chem. Biochem. Eng.*, pp. 129–137, 2010.
- [22] T. S. and D. at V. Temperatures, “W. F. Seter And Kura and Iitsu Iuouye,” *Ind. Eng. Chem.*, 1935.
- [23] W. S. Singleton, T. L. Ward, and F. G. Dollear, “Physical Properties of Fatty Acids. Thermal Properties of Stearic Acid I. Some Dilatometric and Thermal Properties of Stearic Acid in Two Polymorphic Forms,” *J. THE Am. OIL CHEMISTS’ Soc.*, 1980.
- [24] U. Bayram, S. Aksoz, and N. Maras, “Temperature dependency of thermal conductivity of solid phases for fatty acids,” 2014.
- [25] M. S. D. Rozanna, T. G. Chuah, A. Salmiah, and Thomas S. Y. Choong, “Fatty Acids as Phase Change Materials (PCMs) for Thermal Energy Storage: A Review,” *INTERNATIONAL J. GREEN ENERGY*, vol. 1, no. 4, pp. 495–513, 2004.
- [26] O.-A. G.-R. and L.-J. L.-G. Diana-Carolina Cruz-Forero, “Calculation of thermophysical Properties of Oils and Triacylglycerols Using an Extended Constituent Fragments Approach,” *CT & F - Ciencia, Tecnol. y Futur.*, 2012.