

References

- Amin, M.R., Mamun, S.M.H., Rashid, R., Rahman, M., Ghose, A., Sharmin, S., Rahman, M.R., Faiz, M.A., 2008. Anti-snake venom: Use and adverse reaction in a snake bite study clinic in Bangladesh. *J. Venom. Anim. Toxins Incl. Trop. Dis.* 14, 660–672. <https://doi.org/10.1590/S1678-91992008000400009>
- Asad, M.H.H. Bin, Razi, M.T., Durr-e-Sabih, Najamus-Saqib, Q., Nasim, S.J., Murtaza, G., Hussain, I., 2013. Anti-venom potential of Pakistani medicinal plants: inhibition of anticoagulation activity of *Naja naja karachiensis* toxin. *Curr. Sci.*
- Boisseau, P., Loubaton, B., 2011. Nanomedicine, nanotechnology in medicine. *Comptes Rendus Phys.* <https://doi.org/10.1016/j.crhy.2011.06.001>
- Chen, G.Y., Zhang, B., Zhao, T., Nidhal, N., Jia-Li, W., Zhou, X.M., Chun-Yan, D., 2020. A new triterpenoid glucoside from *Leucas zeylanica*. *Nat. Prod. Res.* 34, 1874–1878. <https://doi.org/10.1080/14786419.2019.1566820>
- Chethankumar, M., Srinivas, L., 2008. New biological activity against phospholipase A2 by Turmerin, a protein from *Curcuma longa* L. *Biol. Chem.* <https://doi.org/10.1515/BC.2008.024>
- Ghulam, M., Hajira, T., Muhammad, S., Nasir, A., 2013. Synthesis and characterization of cupric oxide (CuO) nanoparticles and their application for the removal of dyes. *African J. Biotechnol.* <https://doi.org/10.5897/ajb2013.13058>
- Goswami, P.K., Samant, M., Srivastava, R.S., 2014. Snake venom, anti-snake venom & potential of snake venom. *Int. J. Pharm. Pharm. Sci.*
- Hasson, S.S., Al-Balushi, M.S., Said, E.A., Habbal, O., Idris, M.A., Mothana, R.A.A., Sallam, T.A., Al-Jabri, A.A., 2012. Neutralisation of local haemorrhage induced by the saw-scaled viper *Echis carinatus sochureki* venom using ethanolic extract of *Hibiscus aethiopicus* L. *Evidence-based Complement. Altern. Med.* <https://doi.org/10.1155/2012/540671>
- McNamara, K., Tofail, S.A.M., 2017. Nanoparticles in biomedical applications. *Adv. Phys. X.* <https://doi.org/10.1080/23746149.2016.1254570>
- Sinha, K., 2011. Snake bites kill 46K in India yearly. *The Times of India.*
- Sivaraman, T., Sreedevi, N.S., Meenatchisundaram, S., Vadivelan, R., 2017. Antitoxin activity of aqueous extract of *Cyclea peltata* root against *Naja naja* venom. *Indian J. Pharmacol.* https://doi.org/10.4103/ijp.IJP_708_16
- Theakston, R.D.G., Phillips, R.E., Warrell, D.A., Galagedera, Y., Abeysekera, D.T.D.J., Dissanayaka, P., de Silva, A., Aloysius, D.J., 1990. Envenoming by the common krait (*Bungarus caeruleus*) and Sri lankan cobra (*Naja naja naja*): Efficacy and complications of therapy with haffkine antivenom. *Trans. R. Soc. Trop. Med. Hyg.* [https://doi.org/10.1016/0035-9203\(90\)90297-R](https://doi.org/10.1016/0035-9203(90)90297-R)
- Uhegbu, F., Elekwa, I., Ukoha, C., 2005. Comparative efficacy of crude aqueous extract of *Mangifera Indica*, *Carica Papaya* and Sulphadoxine Pyrimethamine on mice infested with malaria parasite *in vivo*. *Glob. J. Pure Appl. Sci.* <https://doi.org/10.4314/gjpas.v11i3.16523>