

- [9] X. S. Yang, M. Karamanoglu, and X. He, "Flower pollination algorithm: A novel approach for multiobjective optimization," *Eng. Optim.*, 2014, doi: 10.1080/0305215X.2013.832237.
- [10] H. Hernández and C. Blum, "Distributed graph coloring: An approach based on the calling behavior of Japanese tree frogs," *Swarm Intell.*, 2012, doi: 10.1007/s11721-012-0067-2.
- [11] L. Kanagasabai, B. R. Reddy, and M. S. Kalavathi, "Atmosphere Clouds Model Algorithm for Solving Optimal Reactive Power Dispatch Problem," *Indones. J. Electr. Eng. Informatics*, 2014, doi: 10.11591/ijeei.v2i2.104.
- [12] C. J. A. B. Filho, F. B. D. L. Neto, A. J. C. C. Lins, A. I. S. Nascimento, and M. P. Lima, "A novel search algorithm based on fish school behavior," 2008, doi: 10.1109/ICSMC.2008.4811695.
- [13] S. H. Jung, "Queen-bee evolution for genetic algorithms," *Electron. Lett.*, 2003, doi: 10.1049/el:20030383.
- [14] E. Tuba, E. Dolicanin, and M. Tuba, "Chaotic brain storm optimization algorithm," 2017, doi: 10.1007/978-3-319-68935-7_60.
- [15] T. Niknam, M. rasoul Narimani, M. Jabbari, and A. R. Malekpour, "A modified shuffle frog leaping algorithm for multi-objective optimal power flow," *Energy*, 2011, doi: 10.1016/j.energy.2011.09.027.
- [16] J. H. . Holland, "Genetic Algorithms understand Genetic Algorithms," *Sci. Am.*, 1992.
- [17] D. Wierstra, T. Schaul, T. Glasmachers, Y. Sun, J. Peters, and J. Schmidhuber, "Natural evolution strategies," *J. Mach. Learn. Res.*, 2014.
- [18] G. Yildizdan and Ö. K. Baykan, "A novel modified bat algorithm hybridizing by differential evolution algorithm," *Expert Syst. Appl.*, 2020, doi: 10.1016/j.eswa.2019.112949.
- [19] M. T. Ahvanooy, Q. Li, M. Wu, and S. Wang, "A survey of genetic programming and its applications," *KSII Trans. Internet Inf. Syst.*, 2019, doi: 10.3837/tiis.2019.04.002.
- [20] N. Siddique and H. Adeli, "Physics-based search and optimization: Inspirations from nature," *Expert Systems*. 2016, doi: 10.1111/exsy.12185.
- [21] P. Rabanal, I. Rodríguez, and F. Rubio, "Solving dynamic TSP by using river formation dynamics," 2008, doi: 10.1109/ICNC.2008.760.
- [22] O. K. Erol and I. Eksin, "A new optimization method: Big Bang-Big Crunch," *Adv. Eng. Softw.*, 2006, doi: 10.1016/j.advengsoft.2005.04.005.
- [23] S. Kumar, A. Singh, and S. Walia, "Parallel Big Bang–Big Crunch Global Optimization Algorithm: Performance and its Applications to routing in WMNs," *Wirel. Pers. Commun.*, 2018, doi: 10.1007/s11277-018-5656-y.
- [24] G. G. Wang, S. Deb, and Z. Cui, "Monarch butterfly optimization," *Neural Comput. Appl.*, 2019, doi: 10.1007/s00521-015-1923-y.