

- [5] Bellmann, F and Stark, J (2009), "Activation of Blast Furnace Slag by a New Method", *Cement and Concrete Research*, Vol.39, No. 8, pp. 644 – 650. DOI: 10.1016/j.cemconres.2009.05.012
- [6] Grist, E.R., Paine, K.A., Health, A., Norman, J. and Pinder, H. (2015), "The Environmental Credentials of Hydraulic Lime-Pozzolan Concretes", *The Journal of Cleaner Production*, Vol. 93, pp. 26 – 37.
- [7] IS 2386: 1963, *Methods of Test for Aggregates for Concrete, Part IV Mechanical Properties*. Bureau of Indian standards, New Delhi, India.
- [8] IS 383: 1970, *Specification for Coarse and Fine Aggregates from Natural Sources for Concrete*. Bureau of Indian standards Reaffirmed 2002, New Delhi, India.
- [9] Krupal Rajput, "Difference Between M Sand Vs River Sand| What is M sand & River Sand", *CivilJungle*, 2021, [civiljungle.com, https://civiljungle.com/difference-between-m-sand-vs-river-sand/](https://civiljungle.com/difference-between-m-sand-vs-river-sand/)
- [10] IS 10262: 2009, *Concrete Mix Proportioning – Guidelines*, Bureau of Indian standards, New Delhi, India.
- [11] IS 516: 1959, *Methods of Test for Strength of Concrete*, Bureau of Indian standards, New Delhi, India.
- [12] Shetty, M.S, "Concrete Technology – Theory and Practice", *Seventh Revision Edition*, S. Chand and Company Pvt. Ltd., Ram Nagar, New Delhi, 2013.
- [13] Swamy, R.N. and Bouikni, A (1990), "Some Engineering Properties of Slag Concrete as Influenced by Mix Proportioning and Curing", *ACI Mater.J*, Vol. 87, pp. 210 – 220.
- [14] Babu Ganesh, K and Kumar Sree Rama, V (2000), "Efficiency of GGBS in Concrete", *Cement and Concrete Research*, Vol. 30, pp. 1033 – 1036
- [15] Vangi S. Ramachandran, "Concrete Science", pp. 1 – 55. In Ramachandran, V.S and James J. Beaudoin (eds) *Handbook of Analytical Techniques in Concrete Science and Technology – Principles, Techniques and Applications*, Building Materials Series, William Andrew/Noyes Publishing, Inc., Norwich-NY, 2006.