





















glycol are effective inhibitors of steel AISI 1020 in 3 percent NaCl, with inhibition efficiencies of 77.14%, 65.67%, and 73.14%, respectively, at 40, 75, and 250 ppm.

## References

- [1] E. M. Fayyad, M. A. Almaadeed, A. Jones, and A. M. Abdullah, "Evaluation techniques for the corrosion resistance of self-healing coatings," *Int. J. Electrochem. Sci.*, vol. 9, no. 9, (2014), pp. 4989–5011.
- [2] A. Lutz and A. Lutz, "Multi-Action Self-Healing Coatings for Corrosion Protection Multi-Action Self-Healing Coatings for Corrosion Protection," (2016).
- [3] F. J. Martin, "Corrosion inhibitor mechanisms on reinforcing steel in Portland cement pastes," *ProQuest Diss. Theses*, no. (July 2001).
- [4] V. Viswanath and K. Santhakumar, "Synthesis, characterization and biological activity of cefazolin sodium dendrimer complexes," *J. Taiwan Inst. Chem. Eng.*, vol. 116, (2020), pp. 11–25, doi: 10.1016/j.jtice.2020.10.033.
- [5] H. Alawadhi, M. A. Abdelkareem, N. Hussain, T. Wilberforce, and E. T. Sayed, "A composite of graphitic carbon nitride and Vulcan carbon as an effective catalyst support for Ni in direct urea fuel cells," *J. Taiwan Inst. Chem. Eng.*, vol. 116, (2020), pp. 160–168.
- [6] K. Alipour and F. Nasirpour, "Smart anti-corrosion self-healing zinc metal-based molybdate functionalized-mesoporous-silica (MCM-41) nanocomposite coatings," *RSC Adv.*, vol. 7, no. 82, (2017), pp. 51879–51887.
- [7] D. Grigoriev, E. Shchukina, and D. G. Shchukin, "Nanocontainers for Self-Healing Coatings," *Adv. Mater. Interfaces*, vol. 4, no. 1, (2017).
- [8] M. Cui, Y. Yu, and Y. Zheng, "Effective corrosion inhibition of carbon steel in hydrochloric acid by dopamine-produced carbon dots," *Polymers (Basel)*, vol. 13, no. 12, (2021), pp. 1–16.
- [9] A. C. Bouali, M. Serdechnova, C. Blawert, J. Tedim, M. G. S. Ferreira, and M. L. Zheludkevich, "Layered double hydroxides (LDHs) as functional materials for the corrosion protection of aluminum alloys: A review," *Appl. Mater. Today*, vol. 21, (2020), p. 100857.
- [10] A. M. A. Mohamed, A. M. Abdullah, and N. A. Younan, "Corrosion behavior of superhydrophobic surfaces: A review," *Arab. J. Chem.*, vol. 8, no. 6, (2015), pp. 749–765.
- [11] X. Liu, C. Gu, Z. Wen, and B. Hou, "Improvement of active corrosion protection of carbon steel by water-based epoxy coating with smart CeO<sub>2</sub> nanocontainers," *Prog. Org. Coatings*, vol. 115, no. June 2017, (2018), pp. 195–204.
- [12] A. Latnikova, "Polymeric capsules for self-healing anticorrosion coatings," *Institutional Repos. Univ. Potsdam*, (2012), p. 128.
- [13] J. ling CHEN *et al.*, "Comparison of corrosion resistance of MgAl-LDH and ZnAl-LDH films intercalated with organic anions ASP on AZ31 Mg alloys," *Trans. Nonferrous Met. Soc. China (English Ed.)*, vol. 30, no. 9, (2020), pp. 2424–2434.
- [14] C. Engineer, "Corrosion Inhibition of A106-B Steel in H<sub>2</sub>SO<sub>4</sub> Solution by Clindamycin and Cefaclor Drugs as Environmentally Safe Inhibitors," *J. Chem. Biol. Phys. Sci.*, vol. 8, no. 4, (2018), pp. 669–685.
- [15] M. A. Ibraheem, A. E. A. El Sayed Fouda, M. T. Rashad, and F. Nagy Sabbahy, "Sweet Corrosion Inhibition on API 5L-B Pipeline Steel," *ISRN Metall.*, vol. 2012, (2012), pp. 1–15.
- [16] J. J. Perdomo and I. Song, "Chemical and electrochemical conditions on steel under disbanded coatings: The effect of applied potential, solution resistivity, crevice thickness and holiday size," *Corros. Sci.*, vol. 42, no. 8, (2000), pp. 1389–1415.