[8] C. Li, X. Cui, T. Yoshino, "Measurement of AC Electric Power Based on Dual Transverse Pockels Effect," IEEE Trans. on Instrumentation and Measurement, vol. 50, October 2001, pp. 1375-1380.

[9] T. W. Cease, J. G. Driggans, S. J. Weikel, "Optical voltage and current sensors used in revenue metering system," IEEE Trans. on Power Delivery, vol. 6, October 1991, pp. 13741379

[10] T. W. Cease, P. M. Johnston, "A magneto-optic current transducer," IEEE Trans. on Power Delivery, vol. 5, April, 1990. pp. 548-555.

[11] L. H. Christensen, "Design, construction, and test of a passive optical prototype high voltage instrument transformer," IEEE Trans. on Power Delivery, vol. 10, July 1995, pp. 13321337.

[12] K. Kurosawa, S. Yoshida, E. Mori, G. Takahashi, S. Saito, " Development of an optical instrument transformer for DC voltage measurement," IEEE Trans. on Power Delivery, vol. 8, October 1993, pp.1721-1726.

[13] P. Bauerschmidt, R. Lerch, "Optical voltage sensor based on a quartz resonator," in Proc. IEEE Ultrasonics Symposium, 1996, pp. 383-387.

[14] V. N. Filippov, A. N. Starodumov, Y. O. Barmenkov, and V. V. Makarov, "Fiber-Optic voltage sensor based on a Bi 12 TiO 20 crystal ," Trans. Applied Optics, , vol. 39, 2000, pp. 1389-1393.

[15] M. C. Taplamacioglu, J. C. Santos, K. Hidaka, "Pockels high-voltage measurement system," IEEE Trans. Power Delivery, vol. 15, January 2000, pp. 8-13.

[16] C. Li, X. Cui, "An optical voltage and current sensor with electrically switchable quarter waveplate," Trans. Sensors and Actuators A: Physical, vol. 126, January 2006, pp. 62-67.

[17] Sadik Kucuksari, Member, IEEE, and George G. Karady, Life Fellow, IEEE "Complete Model Development for an Optical Current Transformer" IEEE TRANSACTIONS ON POWER DELIVERY, VOL.27, NO.4, OCTOBER2012.