













































Sharma P, Kumari P, Srivastava MM, Srivastava S (2006) Removal of cadmium from aqueous system by shelled *Moringa oleifera* Lam seed powder. *Bioresour Technol* 97:299–305

Siddhuraju P, Becker K (2003) Antioxidant properties of various solvent extracts of total phenolic constituents from three different agroclimatic origins of drumstick tree (*Moringa oleifera* Lam) leaves. *J Agric Food Chem* 51(8):2144–2155

Teixeira, E., Carvalho, M., Neves, V., Silva, M., Arantes-Pereira, L, (2014). Chemical characteristics and fractionation of proteins from *Moringa oleifera* Lam. *Leaves Food Chem.*, 147; 51-54

Valdez-Solana MA, Mejía-García VY, Téllez-Valencia A, GarcíaArenas G, Salas-Pacheco JS, Alba-Romero JJ, Sierra-Campos E (2015) Nutritional content and elemental and phytochemical analyses of *Moringa oleifera* grown in Mexico. *J Chem.*

Vauzour D, Vafeiadou K, Rodriguez-Mateos A, Rendeiro C, Spencer JP (2008) The neuro protective potential of flavonoids: a multiplicity of effects. *Genes Nutr* 3(4):115–126.

Warrier PK, Nambiar VPK, Ramankutty C (2010) *Indian Medicinal Plants, A Compendium of 500 species, vol 4.* Universities Press. Kottakal, India, pp 303–306

West KP, Jr., Caballero B, Black RE. (2006). *International Public Health: Diseases, Programs, Systems, and Policies.* Jones and Barlett Publishers; Sudbury, Massachusetts. 187 – 272.

Yang, R., Chang, L., Hsu, C., Weng, B., Palada, M., Chadha, M., Levasseur, V., (2006). *Nutritional and functional properties of Moringa Leaves from germplasm, to plant, to food, to health Moringa and Other Highly Nutritious Plant Resources: Strategies, Standards and Markets for a Better Impact on Nutrition in Africa,* American Chemical Society, Washington, D.C., Accra, Ghana 1-9.

Zongo UZL, Savadogo A, Traoré AS (2013). Nutritional and clinical rehabilitation of severely malnourished children with *Moringa oleifera* Lam. Leaf powder in Ouagadougou (Burkina Faso). *Food Nutr Sci* 4:991–997