































- 9.A validated simultaneous RP-HPLC method for determination of Betamethasone dipropionate and tolnaftate in combined semisolid formulation.Chandranath Saha and sanjib bhattacharya.
- 10.Indian pharmacopoeia, Indian pharmacopoeia commission Ghaziabad: 2010, Vol-III, P-2089 and 2238-2240. 1998;94:557–72.
11. Barnes PJ. Therapeutic strategies for allergic diseases. Nature. 1999;402(Suppl 6760):B31–8.
12. Haynes RC., Jr .Thyroid and antithyroid drug. In: Gilman AG, Rall TW, Nies AS, Taylor P, editors. Goodman and Gilman's the pharmacological basis of therapeutics. 8th ed. New York: Pergamon Press; 1990. p. 1361–83.
13. Genotoxic and Carcinogenic Impurities in Drug Substances and Products: Recommended Approaches. FDA Center for Drug Evaluation and Research. Guidance for Industry (Draft) 2008 Dec 03;
14. Roy J. Pharmaceutical Impurities-A Mini-Review. AAPS PharmSciTech. 2002;3(2):E6.
15. Ueda CT, Shah VP, Derdzinski K, Ewing G, Flynn G, Maibach H, et al. Topical and Transdermal Drug Product-Stimuli to the revision process. Pharmacopeial Forum. 2009;35: p 750–64.