

pressure has direct effect on Nusselt number. The horizontal orientation has 5 % heat transfer enhancement from the vertical case for two hot pipes configuration. The heat transfer improvement of 9.5 % is also observed when the one hot pipe configuration is used. In vertical orientation. The optimum operating condition is observed when the top one hot horizontal pipe configuration is used, the enhancement is 24 % approximately.

References

- Altaee, A. H., Farooq Hassan Ali and Mahdi, Q. A. (2017) 'Natural Convection Inside Square Enclosure Containing Equilateral Triangle with Different Orientations', *Journal of University of Babylon*, 25(4), pp. 1194–1205.
- Barakos, G., Mitsoulis, E. and Assimacopoulos, D. (1994) 'Natural convection flow in a square cavity revisited: Laminar and turbulent models with wall functions', *International Journal for Numerical Methods in Fluids*, 18(7), pp. 695–719. doi: 10.1002/flid.1650180705.
- Brodkey, R. S. and Hershey, H. C. (1998) *Transport Phenomena: A Unified Approach*. Singapore: McGraw-Hill Series. doi: 10.1080/07373938808916409.
- Chamkha, A. J. and Ismael, M. A. (2013) 'International Journal of Thermal Sciences Conjugate heat transfer in a porous cavity filled with nano fluids and heated by a triangular thick wall', *International Journal of Thermal Sciences*. Elsevier Masson SAS, 67, pp. 135–151. doi: 10.1016/j.ijthermalsci.2012.12.002.
- Habeeb, S. J. (2010) 'Investigation of heat transfer phenomena and natural flow behavior around a heated square cylinder placed in a cooled elliptical enclosure', *Mathematics*, pp. 1–18.
- Kitamura, K., Kami-iwa, F. and Misumi, T. (1999) 'Heat transfer and fluid flow of natural convection around large horizontal cylinders', *International Journal of Heat and Mass Transfer*, 42, pp. 4093–4106.
- Pandey, S., Park, Y. G. and Ha, M. Y. (2019) 'An exhaustive review of studies on natural convection in enclosures with and without internal bodies of various shapes', *International Journal of Heat and Mass Transfer*. Elsevier Ltd, 138, pp. 762–795. doi: 10.1016/j.ijheatmasstransfer.2019.04.097.
- Salman, L. A. and Shamikh, A. J. J. (2012) 'Experimental and theoretical study of natural convection heat transfer of heated square cylinder placed inside a cooled circular enclosure filled with air', *The Iraqi Journal For Mechanical And Material Engineering*, 12(3), pp. 564–581.
- Sheikholeslami, M. *et al.* (2015) 'Thermal management of double-pipe air to water heat exchanger', *Energy and Buildings*. Elsevier B.V., 88, pp. 361–366. doi: 10.1016/j.enbuild.2014.11.076.
- Theodore, L. (2011) *Heat Transfer Applications for the Practicing Engineer*. New Jersey: John Wiley & Sons, Inc. doi: 10.1002/9781118827123.