

205	26	76.3	51	19	252	25	66.3	46	19
206	26	76.2	51	19	253	24.6	67	46	18
207	26	76.2	51	19	254	24	65	45	16.4
208	26	76.2	51	19	255	25	73	46	18
209	26	76	51	19	256	24.8	64	46	19
210	26	76	51	19	257	24.8	64	46	19
211	26	76	51	19	258	25	71	46	18
212	26	76	51	19	259	24	65	45	16
213	26.5	77	51	19	260	24.2	65	46	18
214	26	75.8	51	19	261	23.5	59	45	15.7
215	26	74	51	19	262	23.6	64	46	17
216	26	77	51	19	263	24	65	46	18.2
217	26	75	51	19	264	24	65	46	18.5
218	26	75	51	19	265	24	65	46	19
219	26	78	51	19	266	24	65	46	19
220	25.5	62	45	16	267	24	72	45	16
221	26	68	46	19	268	23.9	62	46	17
Day	temperature different ΔT_t (°C)	temperature different ΔT_s (°C)	Flow rate m_t (ton/hr)	Flow rate m_s (ton/hr)	Day	temperature different ΔT_t (°C)	temperature different ΔT_s (°C)	Flow rate m_t (ton/hr)	Flow rate m_s (ton/hr)
222	25	69	46	17	269	23.5	67	46	18.7
223	25.4	66	45	16	270	23.3	68	50	20
224	25.2	69.6	45	16	271	23	67	50	20
225	25.7	68	46	18	272	24	67	50	20
226	25.4	68	45	16	273	24	67.5	50	20
227	25	69.5	45	16	274	24	66	50	20
228	25	69.2	45	16	275	24	65.6	50	20
229	25	70	46	19	276	24	66	50	20
230	25	65	45	16	277	24	64	50	20
231	25	68	45	16.5	278	24	63.5	50	20
232	25.2	68.2	46	18	279	24	63.6	50	20
233	25.4	67.2	46	18	280	24	63	50	20
234	25	67.8	45	16.7	281	24	63	50	20
235	25.4	67	46	19.5	282	24	62.4	50	20
					283	24	62.7	50	20
					284	24	62.3	50	20
					285	24	62.5	50	20