

Shahidi, F. and Wanasundara, P.D. Phenolic antioxidants. *Critical Reviews in Food sciences and Nutrition* 1992 ;32:67.

Sikandan, A., Shinomiya, T., and Nagahara, Y. Ashwagandha root extract exerts anti-inflammatory effects in HaCaT cells by inhibiting the MAPK/NF- κ B pathways and by regulating cytokines. *Int. J. Mol. Med.* 2018; 42 (1), 425–434.

Srivastava AK, Chaurasia JP, Khan R, Dhand C, Verma S. Role of Medicinal Plants of Traditional Use in Recuperating Devastating COVID-19 Situation. *Med Aromat Plants* (Los Angeles) 2021; 9:359.

Subapriya R, Nagini S. Medicinal properties of neem leaves: a review. *Curr Med Chem Anticancer Agents* 2005; 5:149- 6.

Trivedi, M. K., Mondal, S. C., Gangwar, M., and Jana, S. Effect of a novel ashwagandha-based herbomineral formulation on pro-inflammatory cytokines expression in mouse splenocyte cells: a potential immunomodulator. *Pharmacog. Mag.* 2017; 13 (49), 90–94 .

Turner AJ (2015). "Chapter 25: ACE2 Cell Biology, Regulation, and Physiological Functions". In Unger T, Ulrike M, Steckelings UM, dos Santos RA. *The Protective Arm of the Renin Angiotensin System (RAS): Functional Aspects and Therapeutic Implications*. Academic Press. pp. 185–189.

Vetal, S., Bodhankar, S. L., Mohan, V., and Thakurdesai, P. A. Anti-inflammatory and anti-arthritis activity of type-A procyanidine polyphenols from bark of *Cinnamomum zeylanicum* in rats. *Food Sci. Hum. Wellness* 2013; 2 (2), 59–67.

Vinothapooshan, G., and Sundar, K. Immunomodulatory activity of various extracts of *Adhatoda vasica* Linn experimental rats. *African J. Pharm. Pharmacol.* 2011; 5 (3), 306–310 .

W. Waiyaput, S. Payungporn, J. Issara-Amphorn, and N. T. Panjaworayan, "Inhibitory effects of crude extracts from some edible Thai plants against replication of hepatitis B virus and human liver cancer cells," *BMC Complementary and Alternative Medicine*, vol. 12, article 246, 2012.

Wang, W., Wang, J., Dong, S. F., Liu, C. H., Italiani, P., Sun, S. H. Immunomodulatory activity of andrographolide on macrophage activation and specific antibody response. *Acta Pharmacol. Sin.* 2010; 31 (2), 191–201.

Webster, D. , Taschereau, P. , Lee, T. , & Jurgens, T. (2006). Immunostimulant properties of *Heracleum maximum* Bartr. *Journal of Ethnopharmacology*, 106(3), 360–363.

WHO . (2020a). Coronavirus disease 2019 (COVID-19) – Symptoms Centers for Disease Control and Prevention.

WHO . (2020b). World Health Organization- Report of the WHO-China Joint Mission on Coronavirus Disease 2019 (COVID-19) *CDC . (2020, April 17)*. Coronavirus disease 2019 (COVID-19) – Symptoms Centers for Disease Control and Prevention.

Wintachai, P., Kaur, P., Lee, R. C. H., Ramphan, S., Kuadkitkan, A., Wikan, N. Activity of andrographolide against chikungunya virus infection. *Sci. Rep.* 2015; 5 (1), 14179.

Xiang, Y., Pei, Y., Qu, C., Lai, Z., Ren, Z., Yang, K. *In vitro* anti-herpes simplex virus activity of 1,2,4,6-tetra-O-galloyl- β -D-glucose from *Phyllanthus emblica* L. (Euphorbiaceae). *Phyther. Res* 2011; 25 (7), 975–982.

Yang, Y., Islam, M. S., Wang, J., Li, Y., and Chen, X. Traditional Chinese medicine in the treatment of patients infected with 2019-new coronavirus (SARS-CoV-2): a review and perspective. *Int. J. Biol. Sci.* 2020; 16 (10), 1708–1717 .

Zare, A., Farzaneh, P., Pourpak, Z., Zahedi, F., Moin, M., Shahabi, S. Purified aged garlic extract modulates allergic airway inflammation in Balb/c mice. *Iran. J. Allergy Asthma Immunol.* 2008; 7 (3), 133–141.