

scenes and lighting conditions. While BEMD offers unique capabilities in decomposing images into oscillatory modes, CLAHE's overall balance of performance, efficiency, and ease of implementation positions it as the preferred solution for many image enhancement tasks.

VI. REFERENCES

1. Ch. Jaya Lakshmi, k. prasanthi, S.Kalpana, "Visual Enhancement Techniques For Underwater Images" 2019 5th International Conference on Advanced Computing & Communication Systems (ICACCS).
2. Ritu singh, Dr. Mantosh Biswas, "Adaptive histogram equalization based fusion Technique for hazy underwater image enhancement" IEEE international conference on computational intelligence and computing research, 2016, pp: 1-5.
3. Balvant singh, Ravi shankar mishra, Puran gour, "Analysis of contrast enhancement techniques for underwater image" International journal - of computer technology and electronics engineering (IJCTEE) Volume 1 , issue 2, pp: 190-195
4. enhancement techniques", International Research Journal of Engineering and Technology (IRJET), Volume: 02 Issue: 03, June-2015, pp: 340-344.
5. Sudhansu Mallik, Salman S. Khan, Umesh C. Pati, Balanced EMD", 8th International Conference on Computing, Communication and Networking Technologies (ICCCNT) -2017, pp: 1-6.
6. N. E. Huang et. al, "The empirical mode decomposition and the hilbert spectrum for nonlinear and non-stationary time series analysis," in proceedings of the Royal Society of London A: Mathematical, Physical and Engineering Sciences, vol. 454, no. 1971. The Royal Society, 1998, pp. 903-995.
7. Jin Chen et.al "Using Empirical mode decomposition to process marine magnetotelluric data," in Geophysical Journal International, vol. 190, Issue 1, July 2012, pg:293-309.